Pre-Anesthetic Procedures:

Exam by a Vet:

All patients should have a complete physical exam.





Temperature is 38.4° C, heart rate is 160/min, lungs and heart sound normal.





On the day of surgery, the patient will receive a pre-anesthetic physical exam.

Lab work:

A pre-anesthetic screen checks blood and urine for abnormalities.






Other Tests:

Blood pressure & ECG if a heart murmur or an arrhythmia is heard.





X-rays check the heart and lungs.





Anesthetic:

IV Fluids:

Recommended

A catheter is placed into a vein & gives fluids throughout surgery.

Benefits:

- Can adjust blood pressure
- Can give emergency drugs IV
- Can maintain hydration
- Better recovery

Endotracheal Tube:



A tube is placed in the trachea to protect the airway and maintain anesthesia.

Monitoring:

An assistant monitors the patient throughout the anesthetic and records the parameters every 5 minutes on an anesthetic chart.



Cardell or Doppler

I can measure heart rate, respiration rate, & blood pressure.



Surgical Preparation:

The Surgeon:

Hair I am doing a Cap surgical hand wash before I put on my Surgical sterile gloves Mask and gown. Singleuse Sterile Gloves Sterilized Gown

Sterilization of Materials:



Drapes, surgery gowns, and surgical instrument packs are wrapped and sterilized in the autoclave (above).

Sterile single-use items:

- gloves
- suture material
- scalpel blades

Equipment:

- Indicator
- Tape
- Wraps



The Patient:



The patient is shaved and scrubbed before surgery to prevent infection.

Sterile Surgery:



A sterile surgical pack containing instruments and a drape are used for each surgery. The drape keeps the surgery site sterile.



The skin is incised (cut) down the midline of the belly.



Both ovaries and the uterus are each tied off twice before removing the entire reproductive tract.



The skin is closed in 3 layers with absorbable suture material.


Recovery



The patient is monitored closely by the anesthetist as she wakes up.



I can breathe and swallow on my own.






The tube is removed once the patient is ready.

Before the patient is fully awake, she receives some pain meds (orally or injection).



Now I can't lick or chew at my incision, so I won't cause an infection or break down my sutures.



In summary:

At Little Mountain Veterinary Clinic, our standards for every surgical patient include:

- A pre-anesthetic exam
- Pre-anesthetic lab test recommendations/requirements
- Individualized anesthetic protocols
- Endotracheal tube for oxygen/anesthetic delivery and protection of the airway
- Monitoring (recorded every 5 minutes) and recovery by a Registered Animal Health Technologist or assistant
- Transmission of disease between patients DOES NOT occur because we:
 - use sterilized equipment, drapes, and gowns
 - have a surgical suite, with specialized ventilation and lighting, used only for surgeries
 - use single-use sterile scalpel blades, suture material and surgical gloves
- Individualized home-care instructions and recommendations:
 - wear a Buster Collar
 - appropriate pain medications
 - follow-up appointments and procedure

Please ask our staff if you have any questions!